





IdealTech was founded in Italy in 1999 by two partners who decided to leave respectively Nordson® and Robatech® to make their dream come true



1999





2005


- **Idealtech Srl** started manufacturing its own customized line of **tank melter** equal to those of Nordson and Robatech, and saw an increasing request of compatible spare parts and technical assistance throughout all Europe.
- **Goal:** to supply cheaper but equally valuable solutions to its customers.

- **Idealtech Srl** started expanding its horizons: the distribution net reached various parts of the worlds, thanks to partnerships with new distributors.

- The main production line, consisting of **Drum un-loaders** and **Extruders**, developed thanks to the implementation of the latest advancements in gluing technology.
- 2012: IdealTech takes part in Eurasia Packaging Fair in Istanbul.

2011





2015

- Idealtech Srl stipulated an "exclusive distributorship agreement" with the Turkish company Novmelt Makina.
- Novmelt Makina thus became the sole authorized distributor of Idealtech in countries such as Turkey, Iran, Russia, and CIS countries.


- Idealtech SrI is now actively present in a vast number of countries, having strengthened its position mostly in Europe, where it is a consolidated brand.
- In force of the rapid and positive development of its partnership with Idealtech, Novemelt has now decided to continue its business as "Idealtech Turkey", thus becoming Idealtech's first branch company.

2024

# IdealTech across the World

Partners and global distributors







ACCESSORIES

**HEATED HOSES** 

COATING AND SPRAY HEADS

MANUAL AND AUTOMATIC
APPLICATORS

**SPARE PARTS** 

MODULES AND NOZZLES

FILERS AND SOLENOID VALVES

NORDSON & ROBATECH COMPATIBLE SPARE PARTS

# IdealTech Products

Hot Melt Systems custom made for every need

HOT MELT APPLICATION SYSTEMS

Advanced technologies according to field standards

**MACHINES** 

DRUM UN-LOADERS

**EXTRUDERS** 

SPECIAL MACHINES

TANK MELTERS

FOR PUR, EVA,
POLYEFIN, AND BASIC
HOT MELT ADHESIVES

EQUIPPED WITH GEAR PUMPS

EQUIPPED WITH PISTON PUMPS

## HOTMELT MELTERS

specifically designed for every need











IDEALMELT LINE

IDM-GP-EVO LINE

IDM-GP LINE

**ASSY LINE** 

DRUM LINE



IDEALMELT LINE
PISTON PUMP
TANK MELTERS



Tank capacity: 5 lt / 12 lt

Pump type: Piston

Exits: Max. 6

Pattern Control: Yes

Pump speed control: Yes
















IDM-GP-EVO LINE
GEAR PUMP
TANK MELTER



Tank capacity: 5 lt / 12 lt

Pump type: Gear

Exits: Max. 6

Pattern Control: Yes

Pump speed control: Yes






















Adhesives: EVA – PSA – PUR – MASTIC -

POLYAMIDE

**Tank capacity:** 9 kg / 12 kg / 24 kg / 30 kg /

50 kg

**Pump type:** Gear (1/2/3)

Exits: Max. 6

Pattern Control: Yes

Pump speed control: Yes






**ASSY LINE**GEAR PUMP
TANK MELTER











Adhesives: EVA – PSA – PUR – MASTIC -

POLYAMIDE

Tank capacity: 24 kg - 400 kg

**Pump type :** 7cc - 90cc

Gear pump (1/2/3/4)

Exits: max. 8

Pattern Control: Yes

Pump speed control: Yes





MELTING SYSTEMS

**DRUM LINE** DRUM UN-LOADING











Adhesives: EVA – PSA – PUR – MASTIC -

POLYAMIDE

Melting capacity: 10-80 Kg / h

Drum capacity: 20 lt / 200 lt

Pump type: Gear (single/double)

Exits: max. 4

**Pattern Control:** Yes

Pump speed control: Yes



## **SCREW EXTRUDERS**

extruding systems for thermoplastic adhesives



Adhesives: EVA – POLYOLEFIN – GRANULE

POLYESTER - POLYAMIDE

Melting capacity: 18 - 1000 Kg / h

Pattern Control: Yes













## **COATING HEADS**

Standard and spray coating heads



Adhesives: EVA – POLYURETANIC – PRESSURE

SENSITIVE

Coating: continuous, variable or fixed light

**Max. light:** 2.500 mm

**Grammage**: between 25 - 200 gr/m<sup>2</sup>











## HEATED HOSES

Accessories for hot melt systems









Sensors: PT100 – Ni120 – NTC – FE-KO

**Standard diameters:** Ø 6 / Ø 8 / Ø 13 / Ø 16 / Ø 20 \*

**Standard Lenghts:** 600 mm – 13.000 mm \*

Waterproof: Yes

High/low pressure: Yes

**High flexibility:** Yes


High temperature: Yes

\* Other sizes available on request



### PISTOLE HOT MELT

applicatori automatici e manuali



configuration or applicating needs.



possibility to chose from bead, spiral, or spray

They have efficient operating temperature control,

despite that their temperature can reach 210°C.


application according to nozzle used.

# COMPATIBLE SPARE PARTS

spare parts compatible with all major brands

**MODULES** 

Wide range of modules compatible with main brands melting systems. Adhesive application with no filaments or leakage.





**NOZZLES** 

Nozzles for every gluing need, such as standard nozzles for precise application or special nozzles custum made on the basis of drawings.











**FILTERS** 

Our filters ensure constant and precise glue dispensing, thanks to their impurity filtering abilities











## OUR SECTORS

main fields of application

















## **OUR SERVICES**

at your disposal





We offer a custom made consulting service in order to identify your needs and develop the best solution both technically and moneywise.



#### TECHNICAL ENGINEERING

We provide a technical engineering service, apt to create projects and 3D drawings both for classic adhesive melting systems and special lines.



#### **SALE & SET UP**

We offer our clients high quality products and a wide range of compatible spare parts. We are also available for setup & onsite interventions.



# MAINTENANCE & TECHNICAL ASSISTANCE

Idealtech benefits from a highly qualified team of technicians ready to intervene in case of need or for ordinary maintenance interventions.

### CONTACTS

#### **TELEPHONE**

+39 0362 543041

For ENGLISH press 1

#### **ADDRESS**

Via Sondrio 11 20814, Varedo (MB) Italy

#### **EMAIL**

Sales Dept. (extension 2)

giulia@idealtech.it lucia@idealtech.it

Purchase Dept. (extension 3)

acquisti@idealtech.it

Accounting Dept. (extension 4)

amministrazione@idealtech.it

**Engineering Dept. (extension 5)** 

ufficiotecnico1@idealtech.it

Technical assistance (extension 6)

lorenzo.cantoni@idealtech.it



